

## Bibliography

- [1] Martin, E.L.O., B. Pittet, J.C. Gutiérrez-Marco, J. Vannier, K. El Hariri, R. Lerosy-Aubril, M. Masrour, H. Nowak, T. Servais, T.R.A. Vandebroucke, P. Van Roy, R. Vaucher, and B. Lefebvre. 2016. The Lower Ordovician Konservat-Lagerstätte from Morocco: Age, environment and evolutionary perspectives. *Gondwana Research* **34**: 274-283. doi: <https://doi.org/10.1016/j.gr.2015.03.009>.
- [2] Polechová, M. 2016. The bivalve fauna from the Fezouata Formation (Lower Ordovician) of Morocco and its significance for paleobiogeography, paleoecology, and early diversification of bivalves. *Paleogeography, Paleoclimatology, Paleoecology* **15**: 155-169. doi: <https://doi.org/10.1016/j.palaeo.2015.12.016>.
- [3] Van Roy, P., D.E.G. Briggs, and R.R. Gaines. 2015. The Fezouata fossils of Morocco; an extraordinary record of marine life in the Early Ordovician. *Journal of the Geological Society* **172**: 541-549. doi: <https://doi.org/10.1144/jgs2015-017>.
- [4] Van Roy, P., P.J. Orr, J.P. Botting, L.A. Muir, J. Vinther, B. Lefebvre, K. El Hariri, and D.E.G. Briggs. 2010. Ordovician faunas of Burgess Shale type. *Nature* **465**: 215-218. doi: <https://doi.org/10.1038/nature09038>.